

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 12.01.2022

Page 1 of 17

### Rigid 10K Resin

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1 Product identifier

**Product Name:** Rigid 10K Resin

**Product code:** FLRG1001

##### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses:** For use in Formlabs SLA Printers

**Uses advised against:** Not determined or not applicable.

**Reasons why uses advised against:** Not determined or not applicable.

##### 1.3 Details of the manufacturer/supplier of the safety data sheet

**Manufacturer:**

**United States**

Formlabs, Inc  
35 Medford St  
Suite 201 Somerville, MA 02143  
+1 617 855 0762  
sds@formlabs.com

**Supplier:**

**Germany**

Formlabs GmbH  
Nalepastr. 18  
Berlin, . 12459  
+49 30 700 146 501

##### 1.4 Emergency telephone number:

**European Union**

CHEMTREC (EMEA)

+44 20 3885 0382 (24/7)

#### SECTION 2: Hazard(s) identification

##### 2.1 Classification of the substance or mixture:

**Classification according to Regulation (EC) No. 1272/2008 (CLP):**

Skin sensitization, category 1

Chronic aquatic hazard, category 2

**Hazard-determining components of labeling:**

Urethane Dimethacrylate


Isobornyl Methacrylate

**Additional Information:** None

##### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008 (CLP)**

**Hazard pictograms:**



**Signal Word:** Warning

**Hazard statements:**

H317 May cause an allergic skin reaction

H411 Toxic to aquatic life with long lasting effects

**Precautionary statements:**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P272 Contaminated work clothing should not be allowed out of the workplace

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 12.01.2022

Page 2 of 17

### Rigid 10K Resin

P280 Wear protective gloves, protective clothing and eye protection.

P273 Avoid release to the environment

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P333+P313 If skin irritation or rash occurs: Get medical advice/attention

P363 Wash contaminated clothing before reuse

P391 Collect spillage

P501 Dispose of contents and container in accordance with local, regional, national, and international regulations.

2.3 Other hazards: None known

### SECTION 3: Composition/information on ingredients

3.1 Substance: Not applicable.

3.2 Mixture:

Identification	EU REACH Registration No.	Name	Classification according to Regulation (EC) No. 1272/2008 (CLP)	Weight %
CAS number: 7631-86-9 EC number: 231-545-4	-	Filler	Not classified;	55-75
CAS number: 72869-86-4 EC number: 276-957-5	-	Urethane Dimethacrylate	Skin Sens. 1; H317 Aquatic Chronic 2; H411	15-25
CAS number: 7534-94-3 EC number: 231-403-1	-	Isobornyl Methacrylate	Skin Irrit. 2; H315 STOT SE 3 (RI); H335 Aquatic Chronic 3; H412 Eye Irrit. 2; H319	7-10

Additional information: None

Full Text of H and EUH statements: See section 16

### SECTION 4: First aid measures

4.1 Description of first aid measures

**General notes:**

Show this Safety Data Sheet to the doctor in attendance.

**Following inhalation:**

If inhaled, remove person to fresh air and place in a position comfortable for breathing. If respiratory symptoms develop or persist, seek medical advice/attention.

**Following skin contact:**

Wash affected area with plenty of soap and water. Remove contaminated clothing and launder before reuse. If skin irritation develops or persists, seek medical advice/attention.

**Following eye contact:**

Immediately rinse eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. If eye irritation develops or persists, seek medical advice/attention.

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 12.01.2022

Page 3 of 17

### Rigid 10K Resin

#### Following ingestion:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

#### Self-Protection of the first aider:

Not determined or not available.

#### 4.2 Most important symptoms and effects, both acute and delayed

##### Acute symptoms and effects:

Dermal exposure may cause an allergic skin reaction. Symptoms may include irritation, redness, pain, rash, inflammation, itching, burning and dermatitis.

##### Delayed symptoms and effects:

Effects are dependent on exposure (dose, concentration, contact time).

#### 4.3 Indication of any immediate medical attention and special treatment needed

##### Specific treatment:

Not determined or not available.

##### Notes for the doctor:

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

##### Unsuitable extinguishing media:

Do not use water jet.

#### 5.2 Special hazards arising from the substance or mixture:

Thermal decomposition may produce irritating/toxic fumes/gases.

#### 5.3 Advice for firefighters

##### Personal protection equipment:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA).

##### Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

#### 6.2 Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

#### 6.3 Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable

# Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 12.01.2022

Page 4 of 17

## Rigid 10K Resin

container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

### 6.4 Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

### 7.3 Specific end use(s):

Refer to Section 1 (Recommended Use).

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Only those substances with limit values have been included below.

#### Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Bulgaria	Filler	7631-86-9	TWA: 0.07 mg/m <sup>3</sup> (Free silicon dioxide, amorphous, synthetic from condensation and electrothermal processes - respirable fraction)
	Filler	7631-86-9	TWA: 4 mg/m <sup>3</sup> (Free silicon dioxide, amorphous and crystalline, from natural sedimentation [opal, chalcedony, etc], inhalable fraction)
	Filler	7631-86-9	TWA: 10 mg/m <sup>3</sup> (Free silicon dioxide, amorphous, synthetic from condensation and electrothermal processes, inhalable fraction)
	Filler	7631-86-9	TWA: 1 mg/m <sup>3</sup> (Free silicon dioxide, amorphous and crystalline, from natural sedimentation [opal, chalcedony, etc], respirable fraction)
Croatia	Filler	7631-86-9	8-Hour TWA: 6 mg/m <sup>3</sup> (total dust)
	Filler	7631-86-9	8-Hour TWA: 2.4 mg/m <sup>3</sup> (respirable dust)
Cyprus	Filler	7631-86-9	8-Hour TWA: 5 mg/m <sup>3</sup> (Silicon dioxide [amorphous] [particles > 5 micrometers])

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 12.01.2022

Page 5 of 17

### Rigid 10K Resin

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Filler	7631-86-9	8-Hour TWA: 2 mg/m <sup>3</sup> (Silicon dioxide [amorphous] [particles < 5 micrometers])
Czech Republic	Filler	7631-86-9	8-Hour TWA: 4 mg/m <sup>3</sup> (dust)
Estonia	Filler	7631-86-9	8-Hour TWA: 2 mg/m <sup>3</sup> (fine dust - respirable fraction)
Latvia	Filler	7631-86-9	8-Hour TWA: 1 mg/m <sup>3</sup>
Poland	Filler	7631-86-9	8-Hour TWA: 10 mg/m <sup>3</sup> (inhalable fraction)
	Filler	7631-86-9	8-Hour TWA: 2 mg/m <sup>3</sup> (respirable fraction)
Slovakia	Filler	7631-86-9	8-Hour TWA: 0.3 mg/m <sup>3</sup> (Silica, amorphous (fused silica, fused silica, fumes, burnt diatomaceous earth))
Slovenia	Filler	7631-86-9	8-Hour TWA: 4 mg/m <sup>3</sup> (inhalable fraction)
Austria	Filler	7631-86-9	8-Hour TWA: 4 mg/m <sup>3</sup> (inhalable)
Belgium	Filler	7631-86-9	8-Hour TWA: 10 mg/m <sup>3</sup>
Finland	Filler	7631-86-9	8-Hour TWA: 5 mg/m <sup>3</sup>
Germany (TRGS 900)	Filler	7631-86-9	8-Hour TWA: 4 mg/m <sup>3</sup> (inhalable)
Ireland	Filler	7631-86-9	8-Hour TWA: 6 mg/m <sup>3</sup> (inhalable fraction)
	Filler	7631-86-9	8-Hour TWA: 2.4 mg/m <sup>3</sup> (respirable fraction)
United Kingdom	Filler	7631-86-9	TWA: 6 mg/m <sup>3</sup> (inhalable)
	Filler	7631-86-9	TWA: 2.4 mg/m <sup>3</sup> (respirable)
Germany (MAK)	Filler	7631-86-9	8-Hour TWA: 4 mg/m <sup>3</sup> (inhalable fraction)
	Filler	7631-86-9	8-Hour TWA: 4 mg/m <sup>3</sup> (inhalable)
Denmark	Filler	7631-86-9	8-Hour TWA: 2 mg/m <sup>3</sup> (inhalable)
	Filler	7631-86-9	STEL: 4 mg/m <sup>3</sup> (inhalable)

#### Biological limit values:

No biological exposure limits noted for the ingredient(s).

#### Derived No Effect Level (DNEL):

**Ingredient Name:** Urethane Dimethacrylate

**CAS #:** 72869-86-4

Workers - Systemic Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	No exposure expected
	Acute - Dermal	No hazard identified
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	3.3 mg/m <sup>3</sup>
	Chronic - Dermal	1.3 mg/kg bw/day

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 12.01.2022

Page 6 of 17

### Rigid 10K Resin

Workers - Local Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	No exposure expected
	Acute - Dermal	Hazard identified but no DNEL available
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	No exposure expected
	Chronic - Dermal	Hazard identified but no DNEL available
General Population - Systemic Effects	Acute - Oral	No hazard identified
	Acute - Inhalation	No exposure expected
	Acute - Dermal	No hazard identified
	Chronic - Oral	0.3 mg/kg bw/day
	Chronic - Inhalation	0.6 mg/m <sup>3</sup>
General Population - Local Effect	Chronic - Dermal	0.7 mg/kg bw/day
	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	No exposure expected
	Acute - Dermal	No exposure expected
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	No exposure expected
General Population - Local Effect	Chronic - Dermal	Hazard identified but no DNEL available

**Ingredient Name:** Filler

**CAS #:** 7631-86-9

Workers - Systemic Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	Hazard identified but no DNEL available
	Acute - Dermal	Hazard identified but no DNEL available
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	Hazard identified but no DNEL available
	Chronic - Dermal	Hazard identified but no DNEL available
Workers - Local Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	Hazard identified but no DNEL available
	Acute - Dermal	Hazard identified but no DNEL available
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	Hazard identified but no DNEL available
	Chronic - Dermal	Hazard identified but no DNEL available
General Population - Systemic Effects	Acute - Oral	Hazard identified but no DNEL available
	Acute - Inhalation	Hazard identified but no DNEL available
	Acute - Dermal	Hazard identified but no DNEL available
	Chronic - Oral	Hazard identified but no DNEL available
	Chronic - Inhalation	Hazard identified but no DNEL available
	Chronic - Dermal	Hazard identified but no DNEL available

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 12.01.2022

Page 7 of 17

### Rigid 10K Resin

General Population - Local Effect	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	Hazard identified but no DNEL available
	Acute - Dermal	Hazard identified but no DNEL available
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	Hazard identified but no DNEL available
	Chronic - Dermal	Hazard identified but no DNEL available

**Ingredient Name:** Isobornyl Methacrylate

**CAS #:** 7534-94-3

Workers - Systemic Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	No hazard identified
	Acute - Dermal	No hazard identified
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	1.22 mg/m <sup>3</sup>
	Chronic - Dermal	0.35 mg/kg bw/day
Workers - Local Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	No hazard identified
	Acute - Dermal	No hazard identified
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	No hazard identified
	Chronic - Dermal	No hazard identified
General Population - Systemic Effects	Acute - Oral	No hazard identified
	Acute - Inhalation	No hazard identified
	Acute - Dermal	No hazard identified
	Chronic - Oral	0.21 mg/kg bw/day
	Chronic - Inhalation	0.36 mg/m <sup>3</sup>
	Chronic - Dermal	0.21 mg/kg bw/day
General Population - Local Effect	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	No hazard identified
	Acute - Dermal	No hazard identified
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	No hazard identified
	Chronic - Dermal	No hazard identified

**Predicted No Effect Concentration (PNEC):**

**Ingredient Name:** Urethane Dimethacrylate

**CAS #:** 72869-86-4

Environmental Protection Target	PNEC
Fresh water	0.01 mg/L
Freshwater sediments	4.56 mg/kg sediment dw
Marine water	0.001 mg/L
Marine sediments	0.46 mg/kg sediment dw
Microorganisms in sewage treatment	3.61 mg/L
Soil (agricultural)	0.91 mg/kg soil dw
Air	No hazard identified
Oral (Secondary Poisoning)	No exposure expected

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 12.01.2022

Page 8 of 17

### Rigid 10K Resin

**Ingredient Name:** Filler

**CAS #:** 7631-86-9

Environmental Protection Target	PNEC
Fresh water	No hazard identified
Freshwater sediments	No hazard identified
Marine water	No hazard identified
Marine sediments	No hazard identified
Microorganisms in sewage treatment	No hazard identified
Soil (agricultural)	No hazard identified
Air	No hazard identified
Food chain	No exposure expected

**Ingredient Name:** Isobornyl Methacrylate

**CAS #:** 7534-94-3

Environmental Protection Target	PNEC
Fresh water	2.33 µg/L
Freshwater sediments	1.2 mg/kg sediment dw
Marine water	0.233 µg/L
Marine sediments	0.12 mg/kg sediment dw
Microorganisms in sewage treatment	2.45 mg/L
Soil (agricultural)	0.239 mg/kg soil dw
Air	No hazard identified
Oral (Secondary Poisoning)	No exposure expected

#### Information on monitoring procedures:

Not determined or not applicable.

## 8.2 Exposure controls

### Appropriate engineering controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

### Personal protection equipment

#### Eye and face protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

#### Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

#### Respiratory protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

### General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks,



## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 12.01.2022

Page 9 of 17

### Rigid 10K Resin

and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

#### Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Product (substance / mixture) related measures to prevent exposure:	Not determined or not applicable.
Instruction measures to prevent exposure:	Not determined or not applicable.
Organisational measures to prevent exposure:	Not determined or not applicable.
Technical measures to prevent exposure:	Not determined or not applicable.

#### Risk management measures to control exposure:

Not determined or not applicable.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

<b>Physical State</b>	White liquid
<b>Color</b>	Not determined or not available.
<b>Odor/Odor threshold</b>	Characteristic acrylate
<b>pH</b>	Not determined or not available.
<b>Melting point/freezing point</b>	Not determined or not available.
<b>Initial boiling point/range</b>	>100°C
<b>Flash point (closed cup)</b>	>93.5°C
<b>Flammability</b>	Not flammable
<b>Upper flammability/explosive limit</b>	Not determined or not available.
<b>Lower flammability/explosive limit</b>	Not determined or not available.
<b>Vapor pressure</b>	Not determined or not available.
<b>Relative vapor density</b>	Not determined or not available.
<b>Density</b>	1.63 g/cm <sup>3</sup>
<b>Relative density</b>	Not determined or not available.
<b>Solubilities</b>	Not determined or not available.
<b>Partition coefficient (n-octanol/water)</b>	Not determined or not available.
<b>Auto/Self-ignition temperature</b>	Not determined or not available.
<b>Decomposition temperature</b>	Not determined or not available.
<b>Kinematic viscosity</b>	Not determined or not available.
<b>Particle characteristics</b>	Not determined or not available.

#### 9.2 Other information

##### 9.2.1 Information with regard to physical hazard classes

<b>Explosives</b>	No data available/Not applicable
<b>Flammable gases</b>	No data available/Not applicable
<b>Aerosols</b>	No data available/Not applicable
<b>Oxidizing gases</b>	No data available/Not applicable
<b>Gases under pressure</b>	No data available/Not applicable
<b>Flammable liquids</b>	No data available/Not applicable

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 12.01.2022

Page 10 of 17

### Rigid 10K Resin

<b>Flammable solids</b>	No data available/Not applicable
<b>Self-reactive substances and mixtures</b>	No data available/Not applicable
<b>Pyrophoric liquids</b>	No data available/Not applicable
<b>Pyrophoric solids</b>	No data available/Not applicable
<b>Self-heating substances and mixtures</b>	No data available/Not applicable
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	No data available/Not applicable
<b>Oxidizing liquids</b>	No data available/Not applicable
<b>Oxidizing solids</b>	No data available/Not applicable
<b>Organic peroxides</b>	No data available/Not applicable
<b>Corrosive to metals</b>	No data available/Not applicable
<b>Desensitized explosives</b>	No data available/Not applicable

#### 9.2.2 Other safety characteristics

None.

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity:

Not reactive under recommended handling and storage conditions.

#### 10.2 Chemical stability:

Stable under recommended handling and storage conditions.

#### 10.3 Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Stable under recommended handling and storage conditions.

#### 10.4 Conditions to avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Avoid storage >38°C (100°F) and exposure to light/direct sunlight and heat.

#### 10.5 Incompatible materials:

Polymerization initiators, including peroxides, strong oxidizing agents, alcohols, copper, copper alloys, carbon steel, iron, rust, and strong bases.

#### 10.6 Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

##### Substance data:

Name	Route	Result
Urethane Dimethacrylate	oral	LD50 Rat: >5000 mg/kg
	dermal	LD50 Rat: >2000 mg/kg

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 12.01.2022

Page 11 of 17

### Rigid 10K Resin

Name	Route	Result
Isobornyl Methacrylate	oral	LD50 Rat: 3160 mg/kg
	dermal	LD50 Rabbit: >3000 mg/kg
Filler	oral	LD50 Rat: > 5000 mg/kg
	dermal	LD50 Rabbit: > 2000 mg/kg

#### Skin corrosion/irritation

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:**

Name	Result
Isobornyl Methacrylate	Causes skin irritation

#### Serious eye damage/irritation

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:**

Name	Result
Isobornyl Methacrylate	Causes serious eye irritation

#### Respiratory or skin sensitization

**Assessment:**

May cause an allergic skin reaction.

**Product data:**

No data available.

**Substance data:**

Name	Result
Urethane Dimethacrylate	May cause an allergic skin reaction.

#### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

**International Agency for Research on Cancer (IARC):**

Name	Classification
Urethane Dimethacrylate	Not Applicable
Filler	Group 3
Isobornyl Methacrylate	Not Applicable

#### Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

#### Reproductive Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 12.01.2022

Page 12 of 17

### Rigid 10K Resin

No data available.

**Substance data:** No data available.

#### Specific target organ toxicity (single exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:**

Name	Result
Isobornyl Methacrylate	May cause respiratory irritation

#### Specific target organ toxicity (repeated exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

#### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

#### Information on likely routes of exposure:

No data available.

#### Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

### 11.2 Information on other hazards

#### Endocrine disrupting properties:

**Substance data:** No data available.

#### Other information:

No data available.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Acute (short-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:**

Name	Result
Urethane Dimethacrylate	Fish LC50 Danio rerio: 10.1 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: > 1.2 mg/L (48 hr)
Isobornyl Methacrylate	Fish LC50 Danio rerio: 1.79 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 2.57 mg/L (48 hr [mobility])
	Aquatic Plants EC50 Pseudokirchneriella subcapitata: 2.28 mg/L (72 hr [growth rate])
Filler	Fish LC50 Pimephales promelas: >5000 mg/L (96 hr [mortality])
	Aquatic Invertebrates EC50 Daphnia magna: >5000 mg/L (48 hr [mobility])
	Aquatic Plants EC50 Desmodesmus subspicatus: >173.1 mg/L (72 hr [growth rate])

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 12.01.2022

Page 13 of 17

### Rigid 10K Resin

#### Chronic (long-term) toxicity

##### Assessment:

Toxic to aquatic life with long lasting effects.

**Product data:** No data available.

##### Substance data:

Name	Result
Urethane Dimethacrylate	Aquatic Plants NOEC Desmodesmus subspicatus: 0.21 mg/L (72 hr)
Isobornyl Methacrylate	Aquatic Invertebrates EC50 Daphnia magna: 0.658 mg/L (21 d [reproduction])
Filler	Aquatic Invertebrates NOEC Daphnia magna: 68 mg/L (21 d [morality])
	Aquatic Plants NOEC Desmodesmus subspicatus: >173.1 mg/L (72 hr [growth rate])

#### 12.2 Persistence and degradability

**Product data:** No data available.

##### Substance data:

Name	Result
Urethane Dimethacrylate	The substance is not readily biodegradable (22% degradation in 28 days).
Isobornyl Methacrylate	The substance is readily biodegradable. 70% degradation in water, measured by CO <sub>2</sub> evolution, after 28 days.
Filler	The study does not need to be conducted because the substance is inorganic.

#### 12.3 Bioaccumulative potential

**Product data:** No data available.

##### Substance data:

Name	Result
Filler	The study does not need to be conducted because the substance is inorganic.
Isobornyl Methacrylate	Bioaccumulation can be assumed based on a log Pow value of 5.09. However, due to expected rapid metabolism and non-bioaccumulative potential of the metabolites, bioaccumulation in organisms is not expected.

#### 12.4 Mobility in soil

**Product data:** No data available.

##### Substance data:

Name	Result
Urethane Dimethacrylate	The substance has moderate potential to adsorb to organic soil and sediment particles (log K <sub>oc</sub> : 3.66 dimensionless).
Isobornyl Methacrylate	The substance is slightly mobile in soil with a high potential for adsorption to soil and sediment. Log K <sub>oc</sub> : 3.71

#### 12.5 Results of PBT and vPvB assessment

##### Product data:

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

##### Substance data:

###### PBT assessment:

Urethane Dimethacrylate	This substance is not PBT.
-------------------------	----------------------------

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 12.01.2022

Page 14 of 17

### Rigid 10K Resin

Isobornyl Methacrylate	This substance is not PBT
Filler	This substance is not PBT.

#### vPvB assessment:

Urethane Dimethacrylate	This substance is not vPvB.
Isobornyl Methacrylate	This substance is not vPvB
Filler	This substance is not vPvB.

#### 12.6 Endocrine disrupting properties

**Substance data:** No data available.

**12.7 Other adverse effects:** No data available.

#### 12.8 Hazard to the ozone layer

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### 13.1.1 Product / Packaging disposal:

Dispose contaminated packages in a safe manner in accordance with local and national regulations. Do not allow the product to be released into the environment.

**Waste codes / waste designations according to LoW:** Not determined or not available.

**13.1.2 Waste treatment-relevant information:** Not determined or not available.


**13.1.3 Sewage disposal-relevant information:** Not determined or not available.

##### 13.1.4 Other disposal recommendations:

Do not discharge into public wastewater or surface waters. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities.

### SECTION 14: Transport information

#### International Carriage of Dangerous Goods by Road/Rail (ADR/RID)

<b>UN number or ID number</b>	UN 3082
<b>UN proper shipping name</b>	Environmentally hazardous liquid, N.O.S. Urethane dimethacrylate
<b>UN transport hazard class(es)</b>	9 
<b>Packing group</b>	III
<b>Environmental hazards</b>	Marine Pollutant
<b>Special precautions for user</b>	None
<b>Additional Information</b>	This product is not regulated as a dangerous good when transported in sizes of < 5L provided the packaging meets the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

#### International Carriage of Dangerous Goods by Inland Waterways (ADN)

<b>UN number or ID number</b>	UN 3082
<b>UN proper shipping name</b>	Environmentally hazardous liquid, N.O.S. Urethane dimethacrylate


## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.


Initial preparation date: 12.01.2022

Page 15 of 17


### Rigid 10K Resin

<b>UN transport hazard class(es)</b>	9	
<b>Packing group</b>	III	
<b>Environmental hazards</b>	Marine Pollutant	
<b>Special precautions for user</b>	None	
<b>Additional Information</b>	This product is not regulated as a dangerous good when transported in sizes of < 5L provided the packaging meets the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.	

### International Maritime Dangerous Goods (IMDG)

<b>UN number or ID number</b>	UN 3082	
<b>UN proper shipping name</b>	Environmentally hazardous liquid, N.O.S. Urethane dimethacrylate	
<b>UN transport hazard class(es)</b>	9	
<b>Packing group</b>	III	
<b>Environmental hazards</b>	Marine Pollutant	
<b>Special precautions for user</b>	None	
<b>Additional Information</b>	This product is not regulated as a dangerous good when transported in sizes of < 5L provided the packaging meets the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.	

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

<b>UN number or ID number</b>	UN3082	
<b>UN proper shipping name</b>	Environmentally hazardous liquid, N.O.S. Urethane dimethacrylate	
<b>UN transport hazard class(es)</b>	9	
<b>Packing group</b>	III	
<b>Environmental hazards</b>	Marine Pollutant	
<b>Special precautions for user</b>	None	
<b>Additional Information</b>	This product is not regulated as a dangerous good when transported in sizes of ≤ 5L provided the packaging meets the general provisions of 5.0.2.4.1, 5.0.2.6.1 and 5.0.2.8.	

### Maritime Transport in Bulk according to IMO Instruments

<b>Bulk Name</b>	None
<b>Ship type</b>	None
<b>Pollution category</b>	None
<b>IMO hazard class</b>	None
<b>Environmental hazards</b>	None
<b>Material hazardous only in bulk</b>	None
<b>Cargo Group</b>	None

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 12.01.2022

Page 16 of 17

### Rigid 10K Resin

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

#### European regulations

**Inventory listing (EINECS):** All ingredients are listed or exempt.

**REACH SVHC candidate list:** None of the ingredients are listed.

**REACH SVHC Authorizations:** None of the ingredients are listed.

**REACH Restriction:** None of the ingredients are listed.

**Water hazard class (WGK) (Product):** Not determined.

**Water hazard class (WGK) (Substance):**

Ingredient Name	CAS	Class
Urethane Dimethacrylate	72869-86-4	Water hazard class 1: slightly hazardous to water
Isobornyl Methacrylate	7534-94-3	Water hazard class 1: slightly hazardous to water
Filler	7631-86-9	Non-hazardous to water

#### Other regulations

**Germany TA Luft:**

Ingredient Name	CAS	Class	Base Emission Rate	Max Concentration
Filler	7631-86-9		0.20 kg/h	20 mg/m <sup>3</sup>

**Additional information:** Not determined.

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## SECTION 16: Other information

**Abbreviations and Acronyms:** None

**Classification procedure:**

Classification according to Regulation (EC) No. 1272/2008 (CLP)	Method Used
Skin sensitization, category 1	Calculation method
Chronic aquatic hazard, category 2	Calculation method

**Summary of classification(s) in section 3:**

Skin Sens. 1	Skin sensitization, category 1
Aquatic Chronic 2	Chronic aquatic hazard, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3 (RI)	Specific target organ toxicity - single exposure, category 3, respiratory tract irritation
Aquatic Chronic 3	Chronic aquatic hazard, category 3
Eye Irrit. 2	Eye Irritation, category 2

**Summary of hazard statements in section 3:**

H317	May cause an allergic skin reaction
H411	Toxic to aquatic life with long lasting effects
H315	Causes skin irritation
H335	May cause respiratory irritation
H412	Harmful to aquatic life with long lasting effects
H319	Causes serious eye irritation

**Disclaimer:**

This product has been classified in accordance with EC No. 1272/2008 (CLP), as amended by Commission



## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

**Initial preparation date:** 12.01.2022

Page 17 of 17

### Rigid 10K Resin

Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and EC No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation, and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**Initial preparation date:** 12.01.2022

#### Revision Notes:

Revision Date	Notes
2022-10-26	Revision 1.02

**End of Safety Data Sheet**